

A STATISTICAL TEST TO DISCERN RANDOM FROM CONSTANT AMPLITUDE HARMONICS

Guotong Zhou

School of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, GA 30332-0250, USA.

ABSTRACT

Periodogram is an important tool to reveal hidden periodicities in a given time series but does not tell whether the resulting spectral lines are associated with constant or random amplitude harmonics. Applications dealing with random amplitude models include Doppler spread targets and detection in the presence of fading. We propose to estimate the variance of the harmonic amplitude and then make the decision based on whether the variance can be regarded as zero in a statistical sense. This is a viable approach because any constant has variance zero whereas any real random process has a positive variance. A rigorous statistical test is formulated and illustrated with simulations.

1. INTRODUCTION

Detection of hidden periodicities embedded in a random process has been a concern over one hundred years. Schuster in 1894 devised the periodogram as a means of searching for hidden periodicities. It has had much success in many areas ranging from seasonal and economic time series analysis, seismology, geophysics, spectroscopy, and communications to sonar and radar signal processing (see e.g., [1], [2], [4], [6], [8] and references therein).

If the periodogram of a process shows peaks at $\pm\omega_0$, we are led to believe that a cosine, $\cos(\omega_0 t + \phi_0)$, of some form is present in the data. Discrete-time processes are considered in this paper and we shall discuss two possibilities:

$$x(t) = A \cos(\omega_0 t + \phi_0) + v(t), \quad (1)$$

and

$$x(t) = s(t) \cos(\omega_0 t + \phi_0) + v(t). \quad (2)$$

In (2), multiplicative noise (random amplitude) $s(t)$ and additive noise $v(t)$ are assumed to be real, stationary, mixing, and mutually independent. The mixing condition [3, p. 8] ensures that the cumulants of $s(t)$ and $v(t)$ are absolutely summable and hence the corresponding (higher-order) spectra are finite. The k th-order cumulant of $s(t)$ at lags $(\tau_1, \tau_2, \dots, \tau_{k-1})$ is defined as $c_{ks}(\tau_1, \tau_2, \dots, \tau_{k-1}) = \text{cum}\{s(t), s(t + \tau_1), \dots, s(t + \tau_{k-1})\}$, and similarly for $v(t)$. Performance analysis results of this paper require that $\omega_0 \neq 0 \pmod{\pi}$ which are usually met in practice. The phase ϕ_0 is assumed to be deterministic here because we only consider single record detection and estimation. Note that the constant amplitude harmonic model (1) can be regarded as a special case of (2) with $s(t) \equiv A$. The objective of this paper is to devise statistics to test the following hypotheses: $HP_0 : s(t) \text{ constant} = A$, vs. $HP_1 : s(t) \text{ random}$.

Random amplitude harmonics such as (2) show up in a variety of applications. In radar processing, when a non-point target is fast maneuvering or scintillating, the resulting harmonic (due to Doppler shift) carries a random amplitude [9]. In underwater acoustical applications, when the

medium is dispersive or fluctuating, the sonar return also experiences the random amplitude effect [6]. The model in (2) is also appropriate for Doppler weather radar/lidar returns, where $s(t)$ is due to the randomness of the scatterers (hydro-meteors or aerosol particles). Due to carrier modulation, (2) appears with timing and carrier synchronization of communications signals as well.

It is important to determine the correct underlying model at least for the following reasons: 1) $s(t)$ random or not reveals partial information about the source (target) such as scattering and fading [7]; 2) The Cramér-Rao bounds on the parameter estimates are different for the two different models [10]; 3) The corresponding maximum likelihood (ML) estimates are also different.

Main contributions of this paper are: (i) methods of estimating the mean m_s and variance σ_s^2 of $s(t)$ and closed-form variance expressions of these estimates; (ii) formulation of a rigorous statistical test to determine the zeroness of the $\hat{\sigma}_s^2$ estimate. Based on the test result, we then declare whether random $s(t)$ or constant $s(t) = A$ is present in the data. The variance expressions derived in this paper can also be used to predict the reliability of these estimates.

2. PERIODOGRAM ANALYSIS ?

The raw periodogram of the discrete-time $x(t)$ is defined as

$$I_{2x}(\lambda) = \frac{|\sum_{t=0}^{T-1} x(t) e^{-j\lambda t}|^2}{T} = \frac{|X_T(\lambda)|^2}{T}, \quad (3)$$

where $X_T(\lambda)$ is the DFT of the data. If $x(t)$ is zero-mean stationary, then it is well known that $I_{2x}(\lambda)$ is an asymptotically unbiased but inconsistent estimator of the power spectral density (PSD) of $x(t)$ (see e.g., [3]).

Now suppose that the $s(t)$ in (2) has non-zero mean. Then both (1) and (2) are cyclostationary and have non-zero and periodically time-varying mean. Previous results on periodograms of zero-mean and stationary processes do not apply. When $m_s := E[s(t)] \neq 0$, we can show that as long as $s(t)$ and $v(t)$ have absolutely summable covariance functions (or equivalently, their power spectra $S_{2s}(\omega)$ and $S_{2v}(\omega)$ are finite), then for T large, the expected value of $I_{2x}(\lambda)$ of (2) has

$$EI_{2x}(\lambda) \approx T \left[\frac{m_s^2}{4} \delta(\lambda + \omega_0) + \frac{m_s^2}{4} \delta(\lambda - \omega_0) + m_v^2 \delta(\lambda) \right].$$

Therefore when $m_s \neq 0$, second-order information is “lost” in the periodogram. Since (1) can be regarded as a special case of (2) with $s(t) \equiv A$, we have for model (1),

$$EI_{2x}(\lambda) \approx T \left[\frac{A^2}{4} \delta(\lambda + \omega_0) + \frac{A^2}{4} \delta(\lambda - \omega_0) + m_v^2 \delta(\lambda) \right].$$

Therefore, if the amplitude A in (1) is the same as the mean m_s in (2), the two processes will have almost identical raw periodograms and thus are indistinguishable.

Since $\sigma_s^2 > 0$ for $s(t)$ real and random and $\sigma_s^2 = 0$ for $s(t)$ constant, our approach to differentiating the two models is to estimate σ_s^2 and then check on the zeroness of $\hat{\sigma}_s^2$.

3. ESTIMATION OF σ_s^2

Our goal is to estimate $\sigma_s^2 = m_{2s} - m_s^2$. The mean $m_s = E[s(t)]$ will be retrieved from the cyclic mean of $x(t)$, and the mean square $m_{2s} = E[s^2(t)]$ will be estimated from the cyclic mean square of $x(t)$.

3.1. Cyclic mean – the estimation of m_s

A quantity that is closely related to the periodogram is the so-called cyclic mean. If $x(t)$ is cyclostationary, then its time-varying mean, denoted as $m_{1x}(t)$, is an almost periodic function of t . Hence its FS coefficient, termed the cyclic mean,

$$C_{1x}(\alpha) = \lim_{T \rightarrow \infty} \frac{1}{T} \sum_{t=0}^{T-1} m_{1x}(t) e^{-j\alpha t}, \quad (4)$$

exhibits peaks at some α . It is straightforward to show that the cyclic mean of (2) is

$$C_{1x}(\alpha) = \frac{m_s}{2} e^{j\phi_0} \delta(\alpha - \omega_0) + \frac{m_s}{2} e^{-j\phi_0} \delta(\alpha + \omega_0) + m_v \delta(\alpha).$$

The cyclic mean of (1) can be obtained simply by replacing m_s by A .

The following cyclic mean estimator can be shown to be asymptotically unbiased and m.s.s. consistent [5]:

$$\hat{C}_{1x}(\alpha) = \frac{1}{T} \sum_{t=0}^{T-1} x(t) e^{-j\alpha t}. \quad (5)$$

We recognize that (5) is nothing but the normalized (by data length T) DFT of the data and can be computed using the FFT algorithm. Its amplitude is related to the periodogram through $I_{2x}(\lambda) = T |\hat{C}_{1x}(\alpha)|^2$.

Estimates of ω_0 , ϕ_0 , and m_s are constructed based on $C_{1x}(\alpha)$ as follows:

$$\hat{\omega}_0 = \arg \max_{\alpha > 0} |\hat{C}_{1x}(\alpha)|, \quad (6)$$

$$\hat{\phi}_0 = \arg [\hat{C}_{1x}(\hat{\omega}_0)], \quad (7)$$

$$\hat{m}_s = 2 \operatorname{Re} \left[e^{-j\hat{\phi}_0} \hat{C}_{1x}(\hat{\omega}_0) \right] = \frac{2}{T} \sum_{t=0}^{T-1} x(t) \cos(\hat{\omega}_0 t + \hat{\phi}_0). \quad (8)$$

In [11], we have shown that when the SNR is moderate to high (which requires a combination of good m_s^2/σ_s^2 and m_s^2/σ_v^2 ratios), then the estimators in (6)-(8) will be close to their true values with the following large sample variance [11]:

$$\operatorname{var}(\hat{\omega}_0) = \frac{1}{T^3} \left[\frac{24S_{2v}(\omega_0)}{m_s^2} + \frac{6S_{2s}(2\omega_0)}{m_s^2} \right], \quad (9)$$

$$\operatorname{var}(\hat{\phi}_0) = \frac{1}{T} \left[\frac{8S_{2v}(\omega_0)}{m_s^2} + \frac{2S_{2s}(2\omega_0)}{m_s^2} \right], \quad (10)$$

$$\operatorname{var}(\hat{m}_s) = \frac{1}{T} \left[S_{2s}(0) + \frac{1}{2} S_{2s}(2\omega_0) + 2S_{2v}(\omega_0) \right] \quad (11)$$

We emphasize that neither the parameter estimation algorithm nor the variance expressions depend on the distributions of $s(t)$ and $v(t)$.

Under the same SNR assumption, we have also shown in [11] that (8) is asymptotically equivalent to the following:

$$\hat{m}_s = \frac{2}{T} \sum_{t=0}^{T-1} x(t) \cos(\omega_0 t + \phi_0), \quad (12)$$

which removes the finite-sample dependence of (8) on $\hat{\omega}_0$ and $\hat{\phi}_0$ and makes large sample performance analysis tractable.

3.2. Cyclic mean square – the estimation of m_{2s}

Now let us consider the time-varying mean square of $x(t)$,

$$m_{2x}(t) = E[x^2(t)] = m_{2s} \cos^2(\omega_0 t + \phi_0) + m_{2v} + 2m_s m_v \cos(\omega_0 t + \phi_0). \quad (13)$$

Since $m_{2x}(t)$ is a periodic function of t , we consider its FS coefficients, which we term the cyclic mean square of $x(t)$,

$$M_{2x}(\alpha) = \lim_{T \rightarrow \infty} \frac{1}{T} \sum_{t=0}^{T-1} m_{2x}(t) e^{-j\alpha t} = \left(m_{2v} + \frac{m_{2s}}{2} \right) \delta(\alpha) + m_s m_v e^{j\phi_0} \delta(\alpha - \omega_0) + m_s m_v e^{-j\phi_0} \delta(\alpha + \omega_0) + \frac{m_{2s}}{4} e^{j2\phi_0} \delta(\alpha - 2\omega_0) + \frac{m_{2s}}{4} e^{-j2\phi_0} \delta(\alpha + 2\omega_0) \quad (14)$$

Consistent sample estimate of $M_{2x}(\alpha)$ is given by [5]

$$\hat{M}_{2x}(\alpha) = \frac{1}{T} \sum_{t=0}^{T-1} x^2(t) e^{-j\alpha t}, \quad (15)$$

and hence m_{2s} can be estimated via

$$\hat{m}_{2s} = \arg \max_{\alpha > \omega_0} 4 \left| \hat{M}_{2x}(\alpha) \right|. \quad (16)$$

Mimicking the steps used in [11], we can show that (16) can be approximated by

$$\hat{m}_{2s} = \frac{4}{T} \sum_{t=0}^{T-1} x^2(t) \cos(2\omega_0 t + 2\phi_0), \quad (17)$$

and its variance analysis is discussed next.

When $m_s = m_v = 0$, the variance expression of the $\hat{m}_{2s} = \hat{\sigma}_s^2$ estimate was derived in [11]. The variance expression of \hat{m}_{2s} for the general $m_s \neq 0$, $m_v \neq 0$ case is presented here. Detailed derivation can be found in [12].

Define

$$h_1(\tau) = c_{4s}(0, \tau, \tau) + 2c_{2s}^2(\tau), \quad (18)$$

$$h_2(\tau) = c_{4v}(0, \tau, \tau) + 2c_{2v}^2(\tau), \quad (19)$$

$$h_3(\tau) = 4c_{2s}(\tau)c_{2v}(\tau), \quad (20)$$

$$h_4(\tau) = c_{3s}(\tau, \tau) + c_{3s}(0, \tau) = c_{3s}(0, -\tau) + c_{3s}(0, \tau), \quad (21)$$

$$h_5(\tau) = c_{3v}(\tau, \tau) + c_{3v}(0, \tau) = c_{3v}(0, -\tau) + c_{3v}(0, \tau), \quad (22)$$

$$H_i(\lambda) = \sum_{\tau=-\infty}^{\infty} h_i(\tau) \cos(\lambda\tau) = \sum_{\tau=-\infty}^{\infty} h_i(\tau) \exp(-j\lambda\tau).$$

The large sample variance of \hat{m}_{2s} can be shown to be [12]

$$\operatorname{var}(\hat{m}_{2s}) = \frac{1}{T} \left[H_1(0) + 2H_1(2\omega_0) + \frac{1}{2} H_1(4\omega_0) \right]$$

$$\begin{aligned}
& + 8H_2(2\omega_0) + 2H_3(\omega_0) + 2H_3(3\omega_0)] \\
& + \frac{2m_s}{T} \left[H_4(0) + 2H_4(2\omega_0) + \frac{1}{2}H_4(4\omega_0) \right] \\
& + \frac{16m_v}{T} H_5(2\omega_0) + \frac{4m_s^2}{T} [2S_{2v}(\omega_0) + 2S_{2v}(3\omega_0)] \\
& + \frac{4m_s^2}{T} \left[S_{2s}(0) + 2S_{2s}(2\omega_0) + \frac{1}{2}S_{2s}(4\omega_0) \right] \\
& + \frac{8m_v^2}{T} [4S_{2v}(2\omega_0) + S_{2s}(\omega_0) + S_{2s}(3\omega_0)] . \quad (23)
\end{aligned}$$

Once \widehat{m}_s and \widehat{m}_{2s} are obtained, we estimate the variance of $s(t)$ via

$$\widehat{\sigma}_s^2 = \widehat{m}_{2s} - \widehat{m}_s^2. \quad (24)$$

4. VARIANCE OF $\widehat{\sigma}_s^2$

From (24) we see that in order to derive the variance expression of $\widehat{\sigma}_s^2$, we need to know the variance of \widehat{m}_s^2 and its cross covariance with \widehat{m}_{2s} .

In [12], we show that for T large, the variance of \widehat{m}_s^2 is

$$\begin{aligned}
\text{var}(\widehat{m}_s^2) &= 4m_s^2 \text{var}(\widehat{m}_s) \\
&= \frac{4m_s^2}{T} \left[2S_{2v}(\omega_0) + \frac{1}{2}S_{2s}(2\omega_0) + S_{2s}(0) \right], \quad (25)
\end{aligned}$$

and the covariance between \widehat{m}_s^2 and \widehat{m}_{2s} is

$$\begin{aligned}
\text{cov}(\widehat{m}_{2s}, \widehat{m}_s^2) &= \frac{m_s}{T} [H_4(0) + H_4(2\omega_0)] \\
&+ \frac{4m_s^2}{T} [S_{2s}(0) + 2S_{2v}(\omega_0) + S_{2s}(2\omega_0)]. \quad (26)
\end{aligned}$$

Summarizing (23), (25), and (26), we find the large sample variance expression of $\widehat{\sigma}_s^2$:

$$\begin{aligned}
\text{var}(\widehat{\sigma}_s^2) &= \text{var}(\widehat{m}_{2s}) + \text{var}(\widehat{m}_s^2) - 2\text{cov}(\widehat{m}_{2s}, \widehat{m}_s^2) \\
&= \frac{1}{T} \left[H_1(0) + 2H_1(2\omega_0) + \frac{1}{2}H_1(4\omega_0) \right] \\
&+ \frac{1}{T} [8H_2(2\omega_0) + 2H_3(\omega_0) + 2H_3(3\omega_0)] \\
&+ \frac{2m_s}{T} \left[H_4(2\omega_0) + \frac{1}{2}H_4(4\omega_0) \right] + \frac{16m_v}{T} H_5(2\omega_0) \\
&+ \frac{2m_s^2}{T} [4S_{2v}(3\omega_0) + S_{2s}(2\omega_0) + S_{2s}(4\omega_0)] \\
&+ \frac{8m_v^2}{T} [4S_{2v}(2\omega_0) + S_{2s}(\omega_0) + S_{2s}(3\omega_0)] . \quad (27)
\end{aligned}$$

When $s(t)$ and $v(t)$ are white Gaussian, (27) is simplified:

$$\begin{aligned}
\text{var}(\widehat{\sigma}_s^2) &= \frac{1}{T} (7\sigma_s^4 + 16\sigma_v^4 + 16\sigma_s^2\sigma_v^2) \\
&+ \frac{m_s^2}{T} (8\sigma_v^2 + 4\sigma_s^2) + \frac{m_v^2}{T} (32\sigma_v^2 + 16\sigma_s^2) . \quad (28)
\end{aligned}$$

Comments on (27):

1. No assumptions on the distributions of $s(t)$ and $v(t)$ are made.
2. (27) depends on specific 1st through 4th order statistics of $s(t)$ and $v(t)$ evaluated at appropriate frequencies.
3. The variance expression (27) is not a function of ϕ_0 .
4. Although we refer to (27) as a large sample result, our simulations show that it may be valid even for T as small as 16 [12].

5. STATISTICAL TEST FOR $\widehat{\sigma}_s^2$

It can be shown that when T is large, $\sqrt{T}(\widehat{\sigma}_s^2 - \sigma_s^2)$ is asymptotically Gaussian distributed [5] with mean zero and variance given by T times the r.h.s. of (27). We postulate the following two hypotheses:

$$HP_0 : s(t) \text{ constant} = A \quad \text{vs.} \quad HP_1 : s(t) \text{ random}$$

Under HP_0 , $\sigma_s^2 = 0$, and hence $\sqrt{T}\widehat{\sigma}_s^2$ has mean zero and variance $T\text{var}(\widehat{\sigma}_s^2)$. As a result, $T(\widehat{\sigma}_s^2)^2/T\text{var}(\widehat{\sigma}_s^2) = (\widehat{\sigma}_s^2)^2/\text{var}(\widehat{\sigma}_s^2)$ is $\chi^2(1)$ distributed. The probability of false alarms is defined as

$$P_{FA} = \Pr \left\{ \frac{(\widehat{\sigma}_s^2)^2}{\text{var}(\widehat{\sigma}_s^2)} > \Gamma \mid HP_0 \right\} . \quad (29)$$

For a given P_{FA} , we first determine a threshold $\mathcal{T} = \Gamma\text{var}(\widehat{\sigma}_s^2)$, and upon receiving a $\widehat{\sigma}_s^2$ estimate, we compare $(\widehat{\sigma}_s^2)^2$ with \mathcal{T} , accept HP_0 if $(\widehat{\sigma}_s^2)^2$ is below \mathcal{T} and reject HP_0 if otherwise.

Under HP_0 , $s(t) \equiv A$; hence, except for the mean $m_s = A \neq 0$, all cumulants of $s(t)$ are zero: $h_1(\tau) = h_3(\tau) = h_4(\tau) = 0$. It follows from (27) that

$$\begin{aligned}
\text{var}(\widehat{\sigma}_s^2) &= \frac{8m_s^2}{T} S_{2v}(3\omega_0) + \frac{32m_v^2}{T} S_{2v}(2\omega_0) \\
&+ \frac{8}{T} H_2(2\omega_0) + \frac{16m_v}{T} H_5(2\omega_0) \quad (30)
\end{aligned}$$

under HP_0 . If $v(t)$ is symmetrically distributed, then $H_5(\lambda) = 0$. If $v(t)$ is Gaussian, then $H_5(\lambda) = 0$ and $H_2(\lambda) = \sum_{\tau} 2c_{2v}^2(\tau) \cos(\lambda\tau)$.

In practice, we need to estimate $\text{var}(\widehat{\sigma}_s^2)$ (and hence \mathcal{T}) from the same data. Operating under HP_0 , we first remove $\widehat{m}_s \cos(\widehat{\omega}_0 t + \widehat{\phi}_0)$ from $x(t)$. The residue is regarded as an approximation of $v(t)$ (recall that $m_s = A$ here) and many available (poly)spectral estimation procedures can be followed to estimate $S_{2v}(2\omega_0)$, $S_{2v}(3\omega_0)$, $H_2(2\omega_0)$, and $H_4(2\omega_0)$. The mean of $v(t)$ can be estimated by simply taking the running average of the data,

$$\widehat{m}_v = \frac{1}{T} \sum_{t=0}^{T-1} x(t) . \quad (31)$$

When $v(t)$ is white Gaussian, the variance expression (30) further simplifies to

$$HP_0 : \quad \text{var}(\widehat{\sigma}_s^2) = \frac{16\sigma_v^4}{T} + \frac{8\sigma_v^2(m_s^2 + 4m_v^2)}{T} . \quad (32)$$

In order to estimate the above expression, we first obtain \widehat{m}_s and \widehat{m}_v as in (12) and (31), and then calculate

$$HP_0 : \quad \widehat{\sigma}_v^2 = \frac{1}{T} \sum_{t=0}^{T-1} x^2(t) - \frac{\widehat{m}_s^2}{2} - \widehat{m}_v^2 . \quad (33)$$

The overall algorithm is summarized next.

Algorithm

Step 1: For a given probability of false alarms P_{FA} , find the corresponding Γ from a $\chi^2(1)$ table.

Step 2: Obtain estimates $\widehat{\omega}_0$ (6), $\widehat{\phi}_0$ (7), \widehat{m}_s (8), \widehat{m}_{2s} (16), $\widehat{\sigma}_s^2$ (24), and \widehat{m}_v (31).

Step 3: Subtract $\widehat{m}_s \cos(\widehat{\omega}_0 t + \widehat{\phi}_0)$ from $x(t)$ and treat the resulting process as $v(t)$. Follow existing (poly)spectral estimation procedures to estimate $S_{2v}(2\omega_0)$, $S_{2v}(3\omega_0)$, $H_2(2\omega_0)$ and $H_5(2\omega_0)$ in order to calculate (30). Multiply the result by Γ to obtain \mathcal{T} . When it is known *a priori* that $v(t)$ is white Gaussian, we only need to calculate $\widehat{\sigma}_v^2$ (33) in order to obtain $\text{var}(\widehat{\sigma}_s^2)$ (32).

Step 4: If $(\widehat{\sigma}_s^2)^2 < \mathcal{T}$, we declare that $x(t)$ comes from the constant amplitude model (1); otherwise, it is more likely that $x(t)$ obeys the random amplitude model (2).

6. SIMULATIONS

We present here some numerical examples to verify the performance analysis results and the random amplitude detection algorithm presented in this paper.

Example 1: Verification of variance expressions

We first generated $w(t)$ which was i.i.d. one-sided exponential deviates with p.d.f. $f_W(w) = e^{-w}$. We then removed its mean and passed the mean compensated process $\tilde{w}(t) = w(t) - 1$ through a first order FIR filter with parameters $[1, 0.5]$. We then added a constant $m_s = 1$ at the output end and obtained a colored, non-Gaussian, and non-zero mean process $s(t)$. Additive noise $v(t)$ was white Gaussian with mean $m_v = -0.2$ and variance $\sigma_v^2 = 0.2$. We then generated $T = 1,024$ points of $x(t)$ according to (2) with $\omega_0 = 1$, $\phi_0 = 1.8$. 200 independent realizations were used to yield the empirical asymptotic variance results. The available data were zero-padded to length 2^{14} when calculating the sample cyclic mean via FFT. Table I illustrates empirical vs. theoretical mean and asymptotic variance results. \square

TABLE I. EMPIRICAL AND THEORETICAL PERFORMANCE OF ESTIMATORS, COLORED NOISE CASE

| Formulas | (12), (17) | (8), (16) | Theoretical |
|--------------------------------------|------------|-----------|-------------|
| $E[\widehat{m}_s]$ | 1.0038 | 1.0047 | 1.0000 |
| $T \text{var}(\widehat{m}_s)$ | 1.5063 | 1.5002 | 1.4897 |
| $E[\widehat{m}_{2s}]$ | 2.3763 | 2.4038 | 2.3600 |
| $T \text{var}(\widehat{m}_{2s})$ | 92.6108 | 92.5800 | 84.0406 |
| $E[\widehat{\sigma}_s^2]$ | 1.3672 | 1.3929 | 1.3600 |
| $T \text{var}(\widehat{\sigma}_s^2)$ | 66.7438 | 66.7789 | 59.2214 |

Example 2. We have available $T = 1,024$ data $x(t)$ from (1) where $v(t)$ was white Gaussian with mean $m_v = 0.5$ and variance $\sigma_v^2 = 0.2$. The harmonic parameters are $A = 1$, $\omega_0 = 1$, $\phi_0 = 1.8$. The false alarm rate chosen was $P_{FA} = 0.05$ which corresponds to $\Gamma = 3.841$. We followed the algorithm outlined in Section 5 and generated 500 independent realizations. In Fig. 1 we show the $(\widehat{\sigma}_s^2)^2$ estimates in solid lines, the true threshold \mathcal{T} in dashed line, and the estimated threshold $\widehat{\mathcal{T}}$ in dotted line. Out of 500 $(\widehat{\sigma}_s^2)^2$ estimates, 21 exceeded \mathcal{T} and 24 exceeded $\widehat{\mathcal{T}}$. Both numbers are close to the expected total number of false alarms $0.05 \times 500 = 25$. \square

7. CONCLUSIONS

Periodogram is a conventional tool to check whether a harmonic of some form is present in the given data. However, it does not tell exactly what form of harmonic is involved. Random amplitude (or multiplicative noise as is often called) appears in many important applications and its nature reflects certain characteristics of the source. In




Figure 1. Statistical test for random $s(t)$.

this paper, we first introduced ways of extracting information about the amplitude, such as its mean m_s and variance σ_s^2 . We then analyzed the performance of the \widehat{m}_s and $\widehat{\sigma}_s^2$ estimates. The value of σ_s^2 can be used as a quantitative measure for target spread or source (in)coherency in Doppler applications. To make a decision as to whether the harmonic amplitude can be regarded as truly random, we compare $(\widehat{\sigma}_s^2)^2$ with a threshold normalized by the variance of $\widehat{\sigma}_s^2$ and employ a $\chi^2(1)$ test. The algorithms and variance expressions developed in this paper are also easy to implement as illustrated by the numerical simulations.

REFERENCES

- [1] O. Besson and P. Stoica, "Statistical analysis of the least-squares autoregressive frequency estimator for random-amplitude sinusoidal signals," *Signal Processing*, vol. 46, no. 2, pp. 203-210, October 1995.
- [2] O. Besson and P. Stoica, "Sinusoidal signals with random amplitude: least squares estimators and their statistical analysis", *IEEE Trans. on Signal Processing*, vol. 43, pp. 2733-2744, November 1995.
- [3] D.R. Brillinger, *Time Series: Data Analysis and Theory*, Holden-day Inc., San Francisco, 1981.
- [4] D.R. Brillinger, "Fitting cosines: some procedures and some physical examples", in I. MacNeil and G. Umphrey (eds.), *Applied Probability, Stochastic Processes, and Sampling Theory*, pp. 75-100, D. Reidel Publ. Co., 1987.
- [5] A.V. Dandawate and G.B. Giannakis, "Asymptotic theory of mixed time averages and kth-order cyclic-moment and cumulant statistics," *IEEE Transactions on Information Theory*, vol. 41, pp. 216-232, January 1995.
- [6] R.F. Dwyer, "Fourth-order spectra of Gaussian amplitude modulated sinusoids," *Journal of the Acoust. Soc. of America*, vol. 90, pp. 918-926, August 1991.
- [7] A.W. Rihaczek and S.J. Hershkowitz, "Man-made target backscattering behavior: applicability of conventional random resolution theory," *IEEE Trans. on Aerospace and Electronic Systems*, vol. 32, pp. 809-845, April 1996.
- [8] A. Swami, "Multiplicative noise models: parameter estimation using cumulants," *Signal Processing*, vol. 36, pp. 355-373, 1994.
- [9] H.L. Van Trees, *Detection, Estimation and Modulation Theory: Part III, Radar-Sonar Signal Processing and Gaussian Signals in Noise*, Ch. 11, New York: Wiley, 1971.
- [10] G. Zhou and G.B. Giannakis, "Harmonics in Gaussian multiplicative and additive noise: Cramér-Rao bounds," *IEEE Trans. on Signal Processing*, vol. 43, pp. 1217-1231, May 1995.
- [11] G. Zhou and G.B. Giannakis, "Harmonics in multiplicative and additive noise: performance analysis of cyclic estimators," *IEEE Trans. on Signal Processing*, vol. 43, pp. 1445-1460, June 1995.
- [12] G. Zhou, "Statistical test for the presence of random amplitude harmonic," *IEEE Trans. on Signal Processing*, December 1996 (submitted).